

SCO-6023R

1080p Full-HD IR Bullet Camera



FC | UL LISTED | CE | ENEC

Key Features

- Full HD (1,920 x 1,080 30fps) resolution
- 0.25Lux@F2.1 (Color), 0Lux@F2.1 (B/W : IR LED on)
- Built-in 4mm fixed lens
- Day & Night (ICR), DWDR, SSNRIV, Motion detection
- IR viewable length 20m, IP66
- Transmission distance max. 500m

Video

Imaging Device	1/3" 2MP CMOS
Resolution	1920x1080
Max. Framerate	30fps
Min. Illumination	Color: 0.25Lux(F2.1) BW: 0.0Lux(IR LED on)
Video Out	BNC(AHD / CVBS selectable)
Video Transmission Distance	500m(75-5 coaxial cable)

Lens

Focal Length (Zoom Ratio)	4mm fixed focal
Max. Aperture Ratio	F2.1
Angular Field of View	H: 80.7° / V: 43.5° / D: 95.8°
Min. Object Distance	0.5m(1.64ft)
Focus Control	Manual

Operational

Camera Title	Displayed up to 15 characters
Day & Night	Auto(ICR)
Backlight Compensation	UserBLC, HLC, DWDR
Digital Noise Reduction	SSNRIV
Defog	Support
Motion Detection	4ea
Privacy Masking	4ea, rectangular zones
Gain Control	Low / Midel / High
White Balance	ATW / AWC / Manual / Indoor / Outdoor
Electronic Shutter Speed	1 ~ 1/12,000sec
Video Rotation	H-Rev / V-Rev
Analytics	Motion detection
IR Viewable Length	30m(98.43ft)
Coaxial Protocol	ACP(AHD Coax Protocol) CVBS: Pelco-C(Coaxitron)

Environmental & Electrical

Operating Temperature / Humidity	-30°C ~ +55°C (-22°F ~ +131°F) / Less than 90% RH *Start up should be done at above -10°C (+14°F)
Certification	IP66, Safety(UL), EMC(FCC, CE)
Input Voltage	12VDC
Power Consumption	Max 4.2W

Mechanical

Color / Material	Dark Gray / Plastic
------------------	---------------------

- The latest product information / specification can be found at hanwha-security.com
- Design and specifications are subject to change without notice.
- Wisenet is the proprietary brand of Hanwha Techwin, formerly known as Samsung Techwin.